



**Montana Fish,  
Wildlife & Parks**

**RFP #090140 Questions and Responses for the FWP Headquarters PA System  
Vendor Walk Through on January 22, 2009, 12:00 PM**

**Attending:**

**Rick Dorvall- FWP Purchasing Officer**

**Dustin Temple- FWP Network Services Bureau Chief**

**Betty Warren- FWP Administrative Officer**

**Reg Peterson- FWP Administrative Assistant**

**Doug Bliler- AVI Systems- Vendor**

**Deadline for Written questions: 12 PM January 27, 2009**

1) Is the feed to Internet analog?

**Response:**

Yes, the same as the legislature.

2) Will the system need to be able to integrate with video conferencing in future?

**Response:**

Yes

3) Is there a need for sound reinforcement?

**Response:**

Possibly

4) How many wireless mics are needed?

**Response:**

Eight

5) Is there a need for wired mics?

**Response:**

No

6) Is there a need for receivers for hearing impaired and how many?

**Response:**

Yes. Two

7) How are the wireless mics recharged?

**Response:**

They can have a rechargeable battery or run on a 9V battery.

8) Is there a need for media jacks?

**Response:**

Yes. Two will be needed in the back of the room.

9) Will the cabinet be locking?

**Response:**

Yes and large enough to accommodate all equipment.

10) Will the floor boxes need to be set up to work?

**Response:**

Yes.